4000-8000W Gas Powered Generator

Style May Vary*

Gasoline Peak Watts
4500-8000
Gasoline Running Watts
3700-7700
Gasoline Peak Amps
37.5A
Gasoline Running Amps
30.8A
AC Voltage
120V
AC Frequency
60 Hz
Outlets
1 Duplex 120V 5-20R
2 USB
1 120V TT-30R
Total Harmonic Distortion
≤3%
GFCI Outlets
No
Outlet Covers
Yes
Parallel Capable
Yes

Transfer Switch Ready
No
RV Ready
Yes
Display Type
Data Center
Noise Level
52 dBA
Fuel Gauge
Yes
Fuel Tank Capacity
3.4 gal. (12.8 L)
Gasoline Run Time @ 25%
18 hrs.
Starter Type
Electric, Remote, Recoil
Choke Type
Automatic
Engine Displacement
224cc
Engine Type
OHV 4 Stroke
Economy Mode
Yes
Oil Capacity
20.3 oz. (0.6 qt.)
Engine Oil Type
10W30
Automatic Low Oil Shutdown
Yes
Carbon Monoxide (CO) Sensor
No
Overload Protection
Yes
CARB Compliant
Yes
Grounding System
Floating Neutral
Battery Included
Yes
Included Accessories
Oil Bottle, Oil Funnel, Spark Plug Wrench, Remote, Battery Float Charger
Warranty (Residential)
3 Year Limited

Warranty (Commercial)
1 Year Limited
Product Dimensions
24.5L x 17.5W x 20H in.
Dry Unit Weight
104.7 lb. (47.5 kg)
Packaging Dimensions
29.6L x 21.5W x 24.3H in.
Shipping Weight
126.5 lb. (57.4 kg)
UPC
855464003902